

















CIRCUITOS	TOMADAS(WATTS)					AP
	100	200	300	400	ESP.	
1		6				
2		6				SANITÁRIO MASC./F
3			4			
4			4			
5			4			
6			4			
7			4			
8			4			
9			4			
10		6				
11			4			
12		6				
13			4			
14			4			
15					1	CH
16	RESERVA					
17	RESERVA					
18	RESERVA					
SOMA TOTAL						

QDF-1- Quadro de Distribuição de Força - 1

AMBIENTE / EQUIPAMENTO	POTÊNCIA(W)	POTÊNCIA(VA)	FATOR POTÊNCIA	TENSÃO(W)
RECEPÇÃO	1200	1304	0,92	220
EM. - CIRCULAÇÃO - BANHO SERVIÇO - COPA	1200	1304	0,92	220
RECEPÇÃO	1200	1304	0,92	220
RECEPÇÃO	1200	1304	0,92	220
SALA 01	1200	1304	0,92	220
SALA 01	1200	1304	0,92	220
SALA 01	1200	1304	0,92	220
SALA 01	1200	1304	0,92	220
SALA 01	1200	1304	0,92	220
SALA 02/03	1200	1304	0,92	220
SALA 02	1200	1304	0,92	220
SALA 03 - COPA	1200	1304	0,92	220
SALA 03	1200	1304	0,92	220
COPA	1200	1304	0,92	220
ALMOZAROV / BANHO SERVIÇO	4400	4783	0,92	220
	16.800	18.261	0,92	380

CORRENTE (A)	FASE mm ²	NEUTRO mm ²	TERRA mm ²	DISJUNTOR (A)	DR 25/30mA	CURVA DISJUNTOR	BALANCEAMENTO DE FASES			
							A-N	B-N	C-N	ABC
5,93	2,5	2,5	2,5	20		C	1304			
5,93	2,5	2,5	2,5	20	25	C		1304		
5,93	2,5	2,5	2,5	20		C			1304	
5,93	2,5	2,5	2,5	20		C	1304			
5,93	2,5	2,5	2,5	20		C		1304		
5,93	2,5	2,5	2,5	20		C			1304	
5,93	2,5	2,5	2,5	20		C	1304			
5,93	2,5	2,5	2,5	20		C		1304		
5,93	2,5	2,5	2,5	20		C			1304	
5,93	2,5	2,5	2,5	20		C	1304			
5,93	2,5	2,5	2,5	20		C		1304		
5,93	2,5	2,5	2,5	20		C			1304	
5,93	2,5	2,5	2,5	20		C	1304			
5,93	2,5	2,5	2,5	20		C		1304		
21,74	6,0	6,0	6,0	25	25	C			4783	
										
										
										
28	3x10	10,0	10,0	40	25	C	6.522	6.522	5.217	0